	Application No.	Applicant(s)
Notice of Allowability	10/086,845	ABUSLEME ET AL.
	Examiner	Art Unit
	Rameov Zacharia	1772
	Ramsey Zacharia	1773
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed 22 May 2007</u> .		
2. The allowed claim(s) is/are <u>1 and 3-18</u> .		
3. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☑ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
 Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). 		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Nation of Informal D	Though A control of
2. Notice of Praftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Informal Pa	• •
3. ☐ Information Disclosure Statements (PTO/SB/08),	6. ⊠ Interview Summary Paper No./Mail Dat 7. ⊠ Examiner's Amendm	e <u>2007081</u> 3 .
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit		
of Biological Material		nt of Reasons for Allowance
	9. 🗀 Otilei	

Application/Control Number: 10/086,845

Art Unit: 1773

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Amy E. L. Schoenhard on 13 August 2007.

The application has been amended as follows:

in claim 4, the phrase "A) and the copolymers" on line 2 has been replaced with --A) and copolymers--,

in claim 4, the phrase "higher than" on line 5 has been replaced with --of--,

in claim 6, the phrase "with the copolymers" on line 11 has been replaced with --with copolymers--,

in claim 6, the phrase "higher than" on line 13 has been replaced with -- of--,

in claim 18, the phrase "with the copolymers" on lines 10-11 has been replaced with --with copolymers--, and

in claim 18, the phrase "higher than" on line 13 has been replaced with -- of--.

2. The following is an examiner's statement of reasons for allowance.

The invention of claim 1 is directed to an article consisting essentially of layers A) and B), as recited in the claim, wherein the adhesion between the layers is higher than 10 N/mm.

Application/Control Number: 10/086,845

Art Unit: 1773

Layer A) consists of the recited copolymers of ethylene with CTFE and/or TFE and acrylic and layer B) consists on a polyamide having an -NH₂ end group in the range of 40-300 μeq/g, with each layer optionally containing the recited additives.

Abusleme et al. represent the closest prior art. However, Abusleme et al., taken alone or in combination with Stoeppelmann and/or Krause et al. do not teach or fairly suggest the article as claimed having the claimed degree of adhesion between the recited layers. The reasons for allowance of independent claims 6 and 18 have been put forth in a prior Office action.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ramsey Zacharia whose telephone number is (571) 272-1518. The examiner can normally be reached on Monday through Friday from 9 to 5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carol Chaney, can be reached at (571) 272-1284. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

Application/Control Number: 10/086,845

Art Unit: 1773

Page 4

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner
Tech Center 1700